
سرويكل سكريناك اورحمل



اگرآپ محسوس کرتی ہیں کہ آپ کوسکریننگ کی پیشکش کئے جانے میں بہت وقت ہوگیا ہے یا آپ اپوائمنٹ پرنہیں جاسکی تواپنے جی پی کی سمرجری سے دوبارہ بک کرواسکتی ہیں۔

اگرآپ حاملہ ہوں تو بچے کی پیدائش کے بارہ ہفتے بعد ہی آپ کو سرویکل سکریننگ کیلئے جانا چاہئے۔

یادر کھیں! سرویکل کینسر[سرطان] کا جتنا جلد معلوم کرلیا جائے اتنا ہی بہتر رہتا ہے! سکریننگ کرنے سے کینسر کو ابتدائی مراحل میں ہی معلوم کرلیا جاسکتا ہے بلکہ بعض دفعہ تو اِس سے بھی پہلے کہ اُسے بڑھنے کا کوئی موقع ملے۔

مزیرمعلومات کیلئے ریکھیں: www.answercancergm.org.uk **ANSWER CANCER**

CERVICAL SCREENING & PREGNANCY



Cervical Screening, often called a smear test, is offered FREE by the NHS to all women and anyone with a cervix aged 25-64.

Everyone eligible is sent an invitation **every three years** between the ages 25-49, then **every five years** from aged 50 to 64.

If you think your invite is late or you have missed an appointment, you can book this at your **GP surgery**.

If you're pregnant, you should usually wait at least 12 weeks after you've given birth before going for cervical screening.

Early detection saves lives!

Remember, the earlier that cervical cancer is detected, the better!

Screening can detect cancer at its early stages and sometimes before it even has a chance to develop.

To find out more, visit: www.answercancergm.org.uk

On the next page you will find this message in Urdu

ANSWER CANCER