سرویکل سکریننگ اورحمل



سرو ایکل اسکر بینگ، جے اکثر سمیر ٹیسٹ کہاجا تاہے، این انچایس کی طرف سے 25 تا 64 سال عمر کی تمام خواتین کو ہر پانچ سال بعد مفت پیش کی جاتی ہے۔

حلد شخیص سے

جانیں نیچ جاتی ہیں بہ

اگرآپ محسوس کرتی ہیں کہ آپ کوسکریننگ کی پیشکش کئے جانے میں بہت وقت ہوگیا ہے یا آپ اپوائمنٹ پرنہیں جاسکی تواپنے جی پی کی سرجری سے دوبارہ بک کرواسکتی ہیں۔

اگرآپ حاملہ ہوں تو بچے کی پیدائش کے بارہ ہفتے بعد ہی آپ کو سرویکل سکریننگ کیلئے جانا چاہئے۔

یادر کھیں! سرویکل کینسر [سرطان] کا جتنا جلد معلوم کرلیا جائے اتنا ہی بہتر رہتا ہے! سکریننگ کرنے سے کینسر کو ابتدائی مراحل میں ہی معلوم کرلیا جاسکتا ہے بلکہ بعض دفعہ تو اِس سے بھی پہلے کہ اُسے بڑھنے کا کوئی موقع ملے۔

مزیر معلومات کیلئے دیکھیں: www.answercancergm.org.uk

ANSWER CANCER

CERVICAL SCREENING & PREGNANCY



Cervical Screening, often called a smear test, is offered FREE by the NHS to all women and anyone with a cervix every five years from age 25-64.

If you think your invite is late or you have missed an appointment, you can book this at your **GP surgery**.

If you're pregnant, you should usually wait at least 12 weeks after you've given birth before going for cervical screening.



Remember, the earlier that cervical cancer is detected, the better!

Screening can detect cancer at its early stages and sometimes before it even has a chance to develop.

To find out more, visit: www.answercancergm.org.uk

